

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




EUROPEAN PATENT APPLICATION

 Application number: 89307922.8

 Int. Cl.⁵: **A61L 33/00**


 Date of filing: **03.08.89**


Claims for the following Contracting States: ES
+ GR.


 Priority: 03.08.88 US 227700

 Date of publication of application:
07.03.90 Bulletin 90/10


 Designated Contracting States:
AT BE CH DE ES FR GB GR IT LI LU NL SE

 Applicant: **NEW ENGLAND DEACONESS**
HOSPITAL CORPORATION
185 Pilgrim Road
Boston, MA 02215(US)

 Inventor: Ito, Ralph K.
172 Milton Street
Quincy Massachusetts(US)
Inventor: Logerfo, Frank W.
155 Lewis Road
Belmont Massachusetts(US)

 Representative: Hutchins, Michael Richard et
al
Graham Watt & Co. London Road Riverhead
Sevenoaks, Kent TN13 2BN(GB)

 **Hirudin-coated biocompatible substance.**

 Disclosed is a biocompatible, thromboresistant substance useful for implantable and extracorporeal devices in contact with the vascular system, and methods for producing the same. The biocompatible, thromboresistant substance comprises a synthetic, biocompatible material, at least one biocompatible base coat layer adhered to at least one surface of the material, and a thrombogenesis inhibitor immobilized on the base coat layer via a component capable of binding the inhibitor. The thrombogenesis inhibitor is hirudin, or an active analog or fragment thereof.

EP 0 357 242 A1

HIRUDIN-COATED BIOCOMPATIBLE SUBSTANCE

The present invention relates to prosthetic vascular materials, and more specifically to biocompatible, thromboresistant substances and methods of their preparation.

Exposure of blood to artificial surfaces usually leads to deposition of a layer of adherent platelets, accompanied by activation of the intrinsic coagulation system, and ultimately to the formation of a thrombus. In fact, significant blood/materials interaction can occur on a single pass through a prosthetic arterial graft. The types of blood proteins initially adsorbed or bound to synthetic surfaces may include proteins involved in contact coagulation. Contact coagulation or the extrinsic pathway of coagulation is a complex pathway of biochemical events that induces fibrin formation, platelet and complement activation, chemotaxis, kinin generation, and activation of fibrinolytic components. In addition, each of these events augments subsequent biochemical pathways often controlled by positive and negative feedback loops. Thus, thrombosis induced by contact with artificial materials is a major obstacle in the development and use of internal prostheses and extracorporeal devices such as artificial vessels and organs, and cardiopulmonary bypass and hemodialysis equipment.

Materials having varying degrees of thromboresistance have been utilized in vascular prostheses with limited success. These materials include corroding (self-cleaning) metals, synthetic polymers such as polydimethyl siloxane, Teflon, acrylates and methacrylates such as Dacron, electrets*, anionic copolymers, and hydrogels (for a review see Salzman et al. (1987) in Hemostasis and Thrombosis, Basic Principles and Clinical Practice (Colman et al., eds.) J. B. Lippincott Co., Phila. PA. pp. 1335-1347).

To decrease the chances of thrombosis due to extended periods of contact with such artificial materials, patients have been treated with systemically administered anti-coagulant, anti-platelet, and thrombolytic drugs. These include any compound which selectively inhibits thromboxane synthetase without affecting prostacycline synthetase, affects platelet adherence as well as aggregation and release, enhances vascular PGI₂ production, and/or inhibits both thrombin- and thromboxane-mediated platelet aggregation. Such compounds include aspirin, sulfinpyrazone, dipyridamole, ticlopidine, and suloctidil. However, treatment with these drugs often elicits unwanted side effects including systemic hemorrhaging and the inability to initiate and complete desired clotting elsewhere in the body.

To improve on the thromboresistance of artificial materials, biologically active molecules having thrombolytic, anticoagulating, thrombogenesis-inhibiting, and/or platelet inhibiting abilities have been linked thereto. For example, heparin has been bound to artificial surfaces to reduce coagulation by activating various inhibitors of the intrinsic clotting system (Salzman et al. (1987) in Hemostasis and Thrombosis: Basic Principles and Clinical Practice, 2nd Ed., (Colman et al., eds.), Lippincott Co., Phila., PA. pp. 1335-1347). However, heparin enhances platelet responses to stimuli such as ADP or collagen, and promotes two adverse primary blood responses towards synthetic surfaces: platelet adhesion and aggregation. In addition, although surface-bound heparin-antithrombin complex may be passive towards platelets, the wide variety of effects it has on interactions with endothelial cell growth factor, inhibition of smooth muscle proliferation, and activation of lipoprotein lipase raises questions as to what adverse effects it may induce over time.

Anti-platelet agents such as pGE₁, pGI₂ (experimental use only), cyclic AMP, and aspirin have also been attached to solid polymer surfaces. These agents discourage the release of platelet factors that stimulate adverse healing responses in the vicinity of a vascular graft. They may also reduce platelet-aided thrombus formation by inhibiting platelet adhesion.

The exposure of many artificial surfaces to albumin prior to vascular contact results in reduced reactivity with platelets (NIH publication No. 85-2185, September, 1985, pp. 19-63). Therefore, albumin has been used to coat extracorporeal surfaces before cardiopulmonary by-pass surgery. However, long-term thromboresistance has not been achieved by this procedure.

Fibrinolytically active streptokinase and urokinase, alone or in combination with heparin have been attached to artificial surfaces by Kusserow et al (Trans. Am. Soc. Artif. Intern. Organs (1971) 17:1). These enzymes reduce excessive fibrin deposition and or thrombotic occlusions. However, the long term assessment of their ability to confer thromboresistance to a synthetic surface has not been determined.

Surface active agents such as Pluronic F-68 have also been immobilized on artificial surfaces, but do not appear to offer long term blood compatibility (Salzer et al. (1971) Medical Applications of Plastics, Biomed. Materials Res. Sym. (Gregor, ed.) No. 1 pp. 105).

*electrets are materials that are non-conductors of electricity which exhibit persistent dielectric polarization.

Therefore, what is needed are better biocompatible materials which are thromboresistant in the long term and whose active components do not cause detrimental side effects.

An object of the present invention is to provide a synthetic, biocompatible, thromboresistent material useful for implantable and extracorporeal devices in contact with bodily fluids.

Another object is to provide an immobilized thrombogenesis inhibitor which is biologically active, and a method of preparing the same.

Still another object of this invention is to provide a method of inhibiting platelet aggregation, the release of platelet factors, and thrombogenesis at the localized site of the graft or prosthesis-blood interface, thus avoiding the systemic effect of antiplatelet and antithrombosis drugs.

Materials and methods are disclosed herein for the provision of biocompatible, thromboresistant substances useful as a component of implantable or extracorporeal devices in contact with the blood.

It has been discovered that a synthetic, biocompatible material can be made into a thromboresistant substance by immobilizing to it, by way of a base coat layer, the thrombogenesis inhibitor hirudin, or an active analog or fragment thereof, in such a way that does not compromise its thrombogenesis inhibiting activity.

The term "thrombogenesis inhibitor" is used herein to describe a native, synthetic, or recombinant protein, or fragment thereof having the physical and biochemical characteristics of hirudin.

Synthetic materials contemplated by the instant invention are preferably polymers such as polyethylene terephthalate (e.g. Dacron - TRADE MARK), nylon, polyurethane, cross-linked collagen, polytetrafluoroethylene, polyglycolic acid, and mixtures thereof, the most preferred polymeric material being Dacron. Other synthetic materials might also be used.

At least one layer of biocompatible material is adhered to at least one surface of the synthetic material. This base coat layer contains a component which is capable of binding the thrombogenesis inhibitor. Examples of such base coat components include proteins, peptides, lipoproteins, glycoproteins, glycosaminoglycans, hydrogels, synthetic polymers, and mixtures thereof. In preferred aspects of the invention, the base coat layer includes a protein component such as serum albumin or fibronectin from, for example, human or bovine sources, or mixtures of these proteins. Other materials might also be used to form the base coat layer.

In accordance with the invention, the thrombogenesis inhibitor is immobilized on the synthetic material via a base coat layer which is adhered to least one surface of the synthetic material. The base coat layer contains a component capable of binding the thrombogenesis inhibitor without compromising the biological activity of the inhibitor.

In exemplary aspects of the invention, the synthetic material is activated prior to having the base coat layer adhered thereto so as to enhance its ability to bind the base coat base layer. For example, in one preferred aspect, the synthetic material is contacted with a solution which makes available at least one chemically active group (e.g., a carboxylic acid group) in the material for binding to a bifunctional cross-linking reagent (e.g., carbodiimide). The material so treated is then put into contact with a solution containing the cross-linking carbodiimide reagent for a time sufficient to allow the chemically active group to bind thereto.

In another embodiment, the synthetic material may be contacted with a solution which removes impurities therein and/or thereon prior to the activation step described above.

The immobilization step may be carried out by initially contacting the thrombogenesis inhibitor with at least one molecule of a bifunctional cross-linking reagent for a time sufficient to allow linking of the reagent to the inhibitor, and then binding the thrombogenesis inhibitor-linked reagent to the base coat. The bound thrombogenesis inhibitor retains its thrombogenesis inhibiting activity when bound to the reagent. The bifunctional cross-linking reagent useful for such an immobilization step may be heterobifunctional (e.g. N-succinimidyl 3-(2-pyridyldithiol)propionate (SPDP)), homobifunctional (e.g., ethylene glycolbis (succinimidylsuccinate) (EGS)), or a mixture of both.

The term "bifunctional cross-linking reagent" is defined herein as a molecule having the ability to bind to, and therefore link, two reactive groups on, for example, one molecule or two separate molecules. If the bifunctional cross-linking reagent binds two different types of groups, it is a "heterobifunctional" cross-linking reagent. However, if the bifunctional cross-linking reagent binds only to two similar groups, it is "homobifunctional".

Prior to the binding step, the thrombogenesis-linked reagent may be subjected to chromatographic procedures to remove impurities mixed in with it.

In an alternative aspect of the invention, the base coat adhered to the synthetic material may be inked at the same time to at least one molecule of a bifunctional cross-linking reagent. In this embodiment, the method further includes binding the thrombogenesis inhibitor-linked reagent to the base coat-linked reagent.

thereby linking the thrombogenesis inhibitor to the material-adhered base coat layer.

In another aspect of the invention, the base coat-linked reagent is reduced prior to the binding step. Reduction results in the formation of sulhydryl groups from the reagent on the base coat which can react with the inhibitor-linked bifunctional cross-linking reagent via a substitution reaction to form an S-S bond, thereby covalently linking the thrombogenesis inhibitor to the base coat.

In yet another aspect of the invention, the base coat is linked to the thrombogenesis inhibitor before it is linked to the synthetic, biocompatible material.

The invention will next be described in connection with certain illustrated embodiments. However, it should be clear that various modifications, additions, and deletions can be made without departing from the spirit or scope of the invention.

Brief Description of the Drawing

The foregoing and other objects of the present invention, the various features thereof, as well as the inventions thereof may be more fully understood from the following description when read together with the accompanying drawings in which:

FIGURE 1 is a diagrammatic representation of the pathways involved in thrombogenesis;

FIGURE 2 is a diagrammatic representation of platelet involvement in thrombogenesis; and

FIGURE 3 is a schematic representation of the amino acid sequence of native hirudin.

Description of the Invention

This invention provides biocompatible, thromboresistant substances useful for implantable and extracorporeal devices in contact with the vascular system, and methods for their fabrication.

The substances provided by this invention include a synthetic biocompatible substance having a thrombogenesis-inhibiting reagent linked thereto via a biocompatible base coat adhered to the material's surface.

The material useful in a prosthetic extracorporeal or implantable device may be composed of any biocompatible, synthetic, preferably polymeric material having enough tensile strength to withstand the rigors of blood circulation, and having groups onto which a base coat can be directly or indirectly bound. Examples of such synthetic materials are polytetrafluoroethylene (Teflon - TRADE MARK) and polyethylene terephthalate (e.g. Dacron), nylon and the like. The material may have any dimensions suitable for the purpose for which it is being used. For example, it may be an integral part of an implanted heart valve or of an extracorporeal device used for hemodialysis or cardiopulmonary by-pass surgery, or it may be used to coat catheters or to line the interior of a vascular graft.

The synthetic material, when obtained, may be coated with or contain various noncovalently adhered impurities whose removal may be prerequisite for the adherence of a base coat thereto. For example, lubricants on commercial quality Dacron can be removed by contacting the Dacron with a solution containing, for example, various detergents, solvents, or salts, which loosen and/or solubilize these impurities.

TABLES 1 and 2 outline representative methods of preparing the biocompatible, thromboresistant substance, where "Da" refers to a synthetic material composed of woven Dacron fibers, and "HSA" refers to human serum albumin. The abbreviation EDC refers to carbodiimide, which is obtainable from the Pierce Chemical Company.

TABLE 1

STEP	PROCESS
1)	Da. + NaOH \rightarrow Da-COOH
2)	Da-COOH + EDC \rightarrow Da-EDC
3)	Da-EDC + HSA \rightarrow Da-HSA + urea (EDC by-product)
4)	Da-HSA + SPDP \rightarrow Da-HSA-SPDP
5)	Da-HSA-SPDP + DTT \rightarrow Da-HSA-SH + P-2-T
6)	Inhibitor + SPDP \rightarrow Inhibitor-SPDP
7)	Da-HSA-SH + Inhibitor-SPDP \rightarrow <u>Da-HSA-S-S-Inhibitor</u> + P-2-T

TABLE 2

STEP	PROCESS
1)	HSA + SPDP \rightarrow HSA-SPDP
2)	HSA-SPDP + DTT \rightarrow HSA-SH + P-2-T
3)	Inhibitor + SPDP \rightarrow Inhibitor-SPDP
4)	HSA-SH + Inhibitor-SPDP \rightarrow HSA-S-S-Inhibitor + P-2-T
5)	Da + NaOH \rightarrow Da-COOH
6)	Da-COOH + EDC \rightarrow Da-EDC
7)	Da-EDC + HSA-S-S-Inhibitor \rightarrow <u>Da-HSA-S-S-Inhibitor</u> + urea (EDC by-product)

Initially, the material may be activated so as to enhance the binding of the base coat layer. This activating step increases the number of chemically active groups in the material. For example, alkaline hydrolysis may be performed to increase the number of reactive carboxylic acid groups in the Dacron to which a bifunctional cross-linking reagent such as carbodiimide may be bound. Ultimately, the base coat will adhere to the bound carbodiimide groups on the material. However, this method must be performed with care, as alkaline hydrolysis partially degrades the Dacron, resulting in a fraying of the material's fibers.

At least one base coat layer is adhered to at least one surface of the synthetic material.

This layer, either adhered to the material or unbound, provides components for attachment of the thrombogenesis inhibitor. Such components provide more binding sites for the inhibitor than the synthetic material, alone, thereby amplifying the amount of inhibitor which may be bound. Useful components include proteins, peptides, lipoproteins, glycoproteins, glycosaminoglycans, synthetic polymers, and mixtures thereof. Proteins such as serum albumin and fibronectin are particularly useful for this purpose as they are known to have anti-thrombogenic properties, themselves, are very desirable as base coat components (Lyman et al. (1965) Trans. Am. Soc. Artif. Intern. Organs 11:301; Falb et al. (1971) Fed. Proc. 30:1688). An HSA molecule, for example, has 65 amino groups available as binding sites.

Attachment of the base coat to the artificial surface may be covalent in nature. Methods to covalently bind proteins to Dacron involve attack of the free reactive succinimide ester group of the cross-linking reagent to primary amino groups on a protein. As shown in the example in TABLE 1, to covalently adhere the base coat to Dacron, the Dacron is initially treated with 0.5 N NaOH and reacted with carbodiimide before it is coated with HSA (base coat) in phosphate buffered saline (PBS).

A thrombogenesis inhibitor useful as a coating for surfaces in contact with blood, bodily fluids, or tissues, is then covalently adhered to the base coat via the component. Inhibitor-coated substances are ideal for implantable use in devices which are in direct contact with blood. For example, by-pass grafts used to replace blood vessels often become filled with blood clots or thrombi, resulting in restricted blood flow. Since the inhibitor-coated substance is resistant to formation of blood clots, thrombosis and subsequent blockage of the bypass graft will be prevented. Likewise when catheters are placed into the vascular system for a diagnostic or therapeutic purposes, a blood clot often forms on the outside of the catheter. The clot may be washed off the catheter by flowing blood, or be jarred loose by manipulation of the catheter, increasing the possibility of embolism and blockage of the circulation to vital organs. Inhibitor-coated substances provide similar advantages for artificial or prosthetic heart valves, intraaortic balloon pumps, total

or artificial heart or heart assist devices, intracaval devices, and any device in contact with the bloodstream. In addition, inhibitor-coated devices provide advantages for intracavity devices such as intraperitoneal dialysis catheters and subcutaneous implants where the thrombogenesis-induced inflammatory reactions would be diminished.

Thrombogenesis inhibitors useful for these purposes include hirudin and active analogs, fragments, derivatives, and fusion products thereof, or mixtures thereof.

Hirudin is a protein isolated from the saliva of leeches, the amino acid sequence of which is shown in FIG. 3. Hirudin has been shown to reduce platelet adhesiveness, a characteristic which is probably attributed to its mode of action on thrombin. This property alone makes hirudin a most attractive anticoagulant when synthetic surfaces interface with blood. It also selectively inhibits the ability of thrombin to be proteolytic, to be mitogenic for fibroblasts, to activate platelets, and to have chemotatic properties for monocytes and polymorphonuclear leukocytes. In addition, the immobilized hirudin-thrombin complex may down-regulate the events of thrombin mediated chemotaxis. This is a significant event as chronic inflammation may be due to the release by polymorphonuclear leukocytes of degradative enzymes and superoxides throughout the graft that show effects at the sites of the anastomosis, contributing to anastomotic hyperplasia.

A number of synthetic and recombinant hirudin analogs exist (e.g., CGP39393 produced by recombinant DNA techniques by Ciba-Geigy, Basel, Switzerland; PCT WO79/00638; PCT WO86/03517) which are at least equally useful as thrombogenesis inhibitors.

The thrombogenesis inhibitor is directly or indirectly immobilized on the base coat via the use of a bifunctional cross-linking reagent. In particular, a heterobifunctional cross-linking reagent which has two different reactive groups at each end of a linear molecule, and can therefore bind two different reactive groups on other molecules or on a different region of the same molecule, is most useful as a bifunctional cross-linking agent. For example, photoreactive cross-linkers, such as sulfosuccinimidyl 2-(m-azido-o-nitrobenzamido)ethyl-1, 3'-dithio-propionate (SAND), or N-succinimidyl-6-(4-azido-2'-nitrophenyl-amino) hexanoate (SANPAH) have a photoreactive group that can directly insert into C-H bonds of the base coat by photochemical coupling, while the other group remains free to bind to proteins.

Other useful and preferable cross-linking reagents (such as SPDP) and their characteristics are found in TABLE 3. In TABLE 3, the "Double-Agent Number" listed for each reagent is the commercial designation for the reagent as made available by pierce Chemical Co. (Rockford, Illinois).

TABLE 3 (Part A)

CROSS-LINKING REAGENTS

5

10	Double-Agent Number	Double-Agent Acronym	Bifunctionality		Reactive towards:		Photo- Reactive
			Homo	Hetero	NH ₂	SH	
15	21551	ANB-NOS		X	X		X
	20106	APB		X		X	X
	20107	APG		X			X
	21559	APTP		X		X	X
20	21579	BS ³	X		X		
	22319	BMH	X			X	
	21554	BSOCOES	X		X		
25	21524	DFDNB	X		X		
	20047	DIDS	X		X		
	20664	DMA	X		X		
30	20666	DMP	X		X		
	20668	DMS	X		X		
	22585	DSP	X		X		
	21555	DSS	X		X		
35	20590	DST	X		X		
	20665	DTBP	X		X		
	22590	DTBPA	X				X
40	21577	DTSSP	X		X		
	21550	EADB		X	X		X
	21565	EGS	X		X		
45	23700	FNPA		X	X		X
	21560	HSAB		X	X		X

50

55

TABLE 3 (Cont'd)

CROSS-LINKING REAGENTS

5

	Double- Agent Number	Double- Agent Acronym	Bifunctionality		Reactive towards:		
			Homo	Hetero	NH ₂	SH	Photo- Reactive
10							
15	26095	MABI		X	X		X
	22310	MBS		X	X	X	
	27715	NHS-ASA		X	X		X
	20669	PNP-DTP		X	X		X
20	21552	SADP		X	X		X
	21549	SAND		X	X		X
	22588	SANPAH		X	X		X
25	27716	SASD		X	X		X
	22325	SIAB		X	X	X	X
	22320	SMCC		X	X	X	
30	22315	SMPB		X	X	X	
	21557	SPDP		X	X	X	
	21556	Sulfo-					
35		BSOCOES	X		X		
	20591	Sulfo-					
		DST	X		X		
	21556	Sulfo-					
40		EGS	X		X		
	22312	Sulfo-					
		MBS		X	X	X	
45	21553	Sulfo-					
		SADP		X	X		X
	22589	Sulfo-					
50		SANPAH		X	X		X

55

TABLE 1 (Cont'd)

CROSS-LINKING REAGENTS

5

Double-Agent Number	Double-Agent Acronym	Bifunctionality Homo Hetero		Reactive towards:		
				NH ₂	SH	Photo-Reactive
22327	Sulfo- BIAB		X	X	X	
22322	Sulfo- SMCC		X	X	X	
22317	Sulfo- SMPB		X	X	X	
26101	TRAUT'S	X		X		

25

TABLE 1 (Cont'd)

30

CROSS-LINKING REAGENTS (part B)

35

<u>Agent Acronym</u>	<u>Chemical Name</u>
ANB-EOS	N-5-azido-2-nitrobenzoyloxysuccinimide
APB	p-azidophenacyl bromide
APG	p-azidophenyl glyoxal
APTP	n-4-(azidophenylthio)phthalimide
BS ³	bis(sulfosuccinimidyl) suberate
BMH	bis maleimidohehexane
BSOCOES	bis[2-(succinimidooxycarbonyloxy)-ethyl]sulfone
DPDNB	1,5-difluoro-2,4-dinitrobenzene
DIDS	4,4'-diisothiocyano-2,2'-disulfonic acid stilbene

55

TABLE 3 (Cont'd)

<u>Agent Acronym</u>	<u>Chemical Name</u>
DMA	dimethyl adipimidate-2 HCl
DMP	dimethyl pimelimidate-2 HCl
DMS	dimethyl suberimidate-2 HCl
DSP	dithiobis(succinimidylpropionate)
DSS	disuccinimidyl suberate
DST	disuccinimidyl tartarate
DTBP	dimethyl 3,3'-dithiobispropionimidate-2-HCl
DTBPA	4,4'-dithiobisphenylazide
DTSSP	3,3-dithiobis(sulfosuccinimidylpropionate)
EADB	ethyl-4-azidophenyl 1,4-dithiobutyrimidate
EGS	ethylene glycolbis(succinimidylsuccinate)
FHPA	1-azido-4-fluoro-3-nitobenzene
HSAB	N-hydroxysuccinimidyl-4-azidobenzoate
MABI	methyl-4-azidobenzoimidate
MBS	m-maleimidobenzoyl-N-hydroxysulfosuccinimide ester
NHS-ASA	N-hydroxysuccinimidyl-4-azidosalicylic acid
PHP-DTP	p-nitrophenyl-2-diazo-3,3,3-trifluoropropionate
SADP	N-succinimidyl(4-azidophenyl)-1,3'-dithiopropionate
SAND	sulfosuccinimidyl 2-(m-azido-o-nitrobenzamido)-ethyl-1,3'-dithiopropionate

TABLE 1 (Cont'd)

<u>Agent Acronym</u>	<u>Chemical Name</u>
5 SANPAH	N-succinimidyl-6-(4'-azido-2'-nitro-phenyl-amino)hexanoate
10 SASD	sulfosuccinimidyl 2-(p-azidosalicyl-amido)ethyl-1,3'-dithio-propionate
SIAB	N-succinimidyl(4-iodoacetyl)amino-benzoate
15 SMCC	succinimidyl 4-(N-maleimidomethyl)-cyclohexane-1-carboxylate
SKPB	succinimidyl 4-(p-maleimidophenyl)-butyrate
20 SPDP	N-succinimidyl 3-(2-pyridyldithio)propionate
25 Sulfo-BSOCS	bis[2-(sulfosuccinimidooxy-carbonyl-oxy)ethyl]sulfone
Sulfo-DST	disulfosuccinimidyl tartrate
30 Sulfo-EGS	ethylene glycolbis(sulfosuccinimidyl-succinate)
Sulfo-MBS	m-maleimidobenzoyl-N-hydro-xy-sulfo-succinimide ester
35 Sulfo-SADP	sulfosuccinimidyl(4-azidophenyldithio)-propionate
40 Sulfo-SANPAH	sulfosuccinimidyl 6-(4'azido-2'-nitro-phenylamino)hexanoate
Sulfo-SIAB	sulfosuccinimidyl(4-iodoacetyl)amino-benzoate
45 Sulfo-SMCC	sulfosuccinimidyl 4-(N-maleimido-methyl)cyclohexane-1-carboxylate
50 Sulfo-SMPB	sulfosuccinimidyl 4-(p-maleimido-phenyl)butyrate
TRAUT'S	2-iminothiolane-HCl

55 The cross-linking reagent is applied to the base coat in amounts such that the desired binding site density is achieved. Binding site density is that amount of cross-linking reagent, in terms of moles g synthetic material, to bind to the base coat while providing confluent coverage of the surface.

To put the inhibitor in condition for linkage to the base coat, the cross-linking reagent may be initially

coupled separately to both the base coat and to the inhibitor. The kinetic constants of the inhibitors are compared before and after coupling to evaluate effects of the procedure on their kinetic constants. The inhibitor should remain biologically active after being coupled. Therefore, standard activity assays specific for the inhibitor to be immobilized are performed using a standard thrombin solution to evaluate this capacity.

As an alternative, the protein component of the base coat may be bound to the thrombogenesis inhibitor forming a conjugate prior to its adherence to the synthetic material, and the conjugate bound to the synthetic material as shown in TABLE 2. In addition, thrombogenesis inhibitor conjugate retains biological activity, and can be used as an agent to increase the half life in the circulation as it is not easily cleared by the kidney.

In the special case of SPDP derivatization of hirudin, linkage of certain groups on hirudin to SPDP may destroy hirudin's biological activity because at least some of these groups are required for activity. However, by adjusting the reaction ratio of hirudin to SPDP (1:4, mole:mole), and running the reaction at near physiological pH, SPDP becomes somewhat selective for epsilon amino groups. The result of these conditions favor a 1:1 (mole:mole) conjugation ratio of hirudin to SPDP covalently bound without destroying hirudin's biological activity.

SPDP will react with terminal as well as epsilon amino groups. Since derivatization of a terminal amino group can inactivate a biologically active protein, t-butyl-dicarbonate (T-BLOCK (Pierce Chemical Co., Rockford, Illinois)) may be used to block that group during SPDP-derivatization. The blocking group is then removed after derivatization to restore biological activity.

The invention will be further understood from the following, non-limiting examples.

EXAMPLE 1

A. Pretreatment and Activation of Dacron

Dacron polyester 52 (DuPont) is sectioned into 1.0 cm lengths. The lubricant on and in the woven surface is removed by washing once for 1 hr with carbon tetrachloride, and twice with 100% CH₃OH. The methanol is removed by multiple water washes, followed by one wash in phosphate buffered saline (PBS), pH 7.4.

The graft material is then subjected to alkaline hydrolysis to increase available COOH groups. The material is treated with 0.5 M NaOH at 50°C for 1 hr. It is then washed with H₂O repeatedly, and the following steps initiated immediately.

B. Carbodiimide Derivatization of Activated Dacron

The activated material is placed into 100.0 ml of 10 mM water-soluble carbodiimide (EDC) in deionized water, pH 4.6-5.0, for 1 hour at RT with constant stirring. The material is removed and washed in PBS to remove excess unbound EDC.

C. Base Coat Formation

The base coat is applied to the lumen of the Dacron graft material. The derivatized Dacron material is incubated in a 5% HSA solution in PBS at 1 ml cm² graft material for 24 hr at RT with constant stirring. The graft is removed and washed in PBS to remove nonspecifically bound HSA. Approximately 20 mg protein mg Dacron is covalently bound.

D. Linkage of SPDP to the Base Coat

The HSA-bound Dacron material is incubated in a 1.0 mM solution of SPDP in PBS, pH 7.4, to bind SPDP to the HSA (100 mM SPDP cm² base coat). Incubation is terminated after 30-40 min at RT. The graft is washed in PBS to remove nonspecifically bound SPDP.

E. Activation of SPDP on Base Coat and Measurement of Binding Site Density

The SPDP-linked material is dried and weighed to obtain its absolute weight. It is then placed in a 50 mM solution of dithiotreitol (DTT) for 5 min at RT. This reaction releases pyridine-2-thione (P-2-T) from the bound SPDP, and simultaneously forms free sulfhydryl (SH) groups on the base coat. The released P-2-T is quantitated by absorption spectrophotometry at 343 nm using its extinction coefficient ($E = 8.08 \times 10^3$), and is directly proportional to the quantity of bound SPDP or binding sites. The number of binding sites are calculated and expressed as moles of sites/g of Dacron.

The material is then washed 5 times in PBS and 4 times in distilled water.

F. Linkage of SPDP to Hirudin

Lyophilized hirudin is resuspended in PBS at 1 mg/ml. SPDP (Pharmacia, Piscataway, NJ) is dissolved in 100% ETOH to 10 mM. One part hirudin is mixed with 4 parts SPDP (mole:mole), and incubated for 30 min at RT. SPDP-bound-hirudin is then separated from free SPDP and reaction by-products by chromatography on a G-25 column; the derivatized hirudin is eluted first.

G. Measurement of SPDP Bound to Hirudin

The binding of SPDP to hirudin can be quantitated by the addition of DTT which liberates pyridine-2-thione (P-2-T) from SPDP bound to hirudin, and which can be measured spectrophotometrically at 343 nm. From this measurement, the moles of SPDP bound to hirudin can be calculated. Each P-2-T released represents one covalent attachment of SPDP to hirudin. One mole of hirudin binds per 1.2 moles SPDP in the present studies.

H. Linkage of Derivatized Hirudin to Base Coat

The reduced SPDP-linked base coat (having free SH groups) is washed with PBS to remove the DTT. SPDP-linked hirudin is then added to the graft at 50.0 mg/cm² Dacron. The solution is incubated overnight at RT to allow the binding of SPDP-hirudin to SH groups on the Dacron graft. The Dacron material with hirudin covalently immobilized thereto is then washed and stored in PBS.

I. Analysis

A. Spectrophotometric Assays:

To quantitate the amount of SPDP-hirudin immobilized on the base coat, an absorbance reading is taken at 343 nm of the solution at the time of the addition of SPDP-hirudin to the Dacron. After the overnight incubation period, another absorbance reading is taken, and the change in absorbance is due to the quantity of P-2-T released from SPDP-hirudin. The amount of P-2-T released is directly proportional to the number of SPDP substitution reactions that have occurred between the base coat SH groups and SPDP-hirudin.

B. Thrombin Inhibition Assay:

Using a known amount of thrombin, a standard curve is constructed with known amount of hirudin or hirudin analog by adding hirudin to thrombin, and measuring residual thrombin activity using chromatographic substrate S-2238. Thrombin inhibition by derivatized hirudin (hirudin-SPDP) or immobilized hirudin (the Dacron material with immobilized hirudin) is then compared to nonderivatized hirudin values by equating ED50 values using 10 NIH units/ml thrombin, and measuring residual thrombin activity.

The invention may be embodied in other specific forms without departing from the spirit or essential characteristics thereof. The present embodiments are therefore to be considered in all respects as

illustrative and not restrictive, the scope of the invention being indicated by the appended claims rather than by the foregoing description, and all changes which come within the meaning and range of equivalency of the claims are therefore intended to be embraced therein.

5

Claims

1. A biocompatible, thromboresistant substance comprising:

- 10 (a) a synthetic, biocompatible material;
 (b) at least one biocompatible base coat layer adhered to at least one surface of said material; and
 (c) a thrombogenesis inhibitor immobilized on said base coat layer, said inhibitor being hirudin or an active analog or fragment thereof.

15 said base coat layer having a component capable of binding said thrombogenesis inhibitor, and
 said inhibitor having thrombogenesis inhibiting activity when immobilized.

2. The substance of claim 1, wherein said material comprises a polymer, for example a polymer selected from the group consisting of polyethylene terephthalate, (e.g. Dacron), nylon, polyurethane, cross-linked collagen, polyglycolic acid, polytetrafluoroethylene, and mixtures thereof.

20 3. The substance of claim 1 or claim 2, wherein said base coat layer comprises a component selected from the group consisting of a protein, peptide, lipoprotein, glycoprotein, glycosaminoglycan, hydrogel, synthetic polymer and mixtures thereof.

4. The substance of claim 3, wherein said component of said base coat layer comprises a protein; for example a protein selected from the group consisting of serum albumin (e.g. bovine serum albumin and human serum albumin), fibronectin (e.g. bovine fibronectin and human fibronectin), and mixtures thereof.

25 5. The substance of claim 1 further comprising a bifunctional cross-linking reagent, for example a heterobifunctional cross-linking reagent (e.g. SPDP) or homobifunctional cross-linking reagent, linking said thrombogenesis inhibitor to said base coat layer.

6. A method of producing a biocompatible, thromboresistant substance, said method comprising the steps of:

- 30 (a) adhering at least one base coat layer to at least one surface of a synthetic, biocompatible material, said base coat layer containing a component capable of binding a thrombogenesis inhibitor; and
 (b) immobilizing said thrombogenesis inhibitor to said base coat layer, said inhibitor being hirudin or an active analog or fragment thereof, and having thrombogenesis inhibiting activity when immobilized.

7. The method of claim 6, wherein said adhering step comprises:

- 35 (a) activating said material so as to enhance the binding of said base coat layer thereto; and
 (b) contacting said activated material with said base coat layer for a time sufficient to allow said component of said base coat layer to bind to said activated material.

40 8. The method of claim 6, wherein said adhering step comprises adhering a base coat layer to at least one surface of said material, said base coat layer containing a component selected from the group consisting of a protein, peptide, lipoprotein, glycoprotein, hydrogel, glycosaminoglycan, synthetic polymer, and mixtures thereof.

45 9. The method of claim 8, wherein said adhering step further comprises adhering to at least one surface of said material a base coat layer containing a protein, for example a protein selected from the group consisting of serum albumin (for example human serum albumin and bovine serum albumin), fibronectin (for example human fibronectin and bovine fibronectin), and mixtures thereof.

10. The method of claim 7, wherein said activating step comprises the steps of:

- (a) treating said material with a solution that makes available for binding at least one chemically reactive group in said material; and
 (b) contacting said treated material with a solution containing a bifunctional cross-linking reagent for a
 50 time sufficient to allow binding of said chemically reactive group to said reagent.

11. The method of claim 10, wherein said treating step further comprises treating said material with a solution that makes available for binding at least one chemically active group in said material, said chemically active group being a carboxylic acid group.

55 12. The method of claim 6 further comprising the preliminary step of contacting said material with a solution which removes impurities thereon, said preliminary step being performed prior to said adhering step.

13. The method of claim 6, wherein said immobilizing step further comprises the steps of:

- (a) contacting said thrombogenesis inhibitor with at least one molecule of a bifunctional cross-linking

reagent for a time sufficient to allow linking of said reagent to said thrombogenesis inhibitor; and
 (b) binding said thrombogenesis inhibitor-linked reagent to said base coat, said linked thrombogenesis inhibitor having thrombogenesis inhibiting activity.

14. The method of claim 13, wherein said contacting step further comprises contacting said base coat with at least one molecule of said bifunctional cross-linking reagent for a time sufficient to allow linking of said reagent to said base coat, and said binding step further includes binding said thrombogenesis inhibitor-linked reagent to said base coat-linked reagent.

15. The method of claim 14 further comprising the steps of:

- (a) reducing said base coat-linked reagent to expose a sulfhydryl group thereon;
- (b) adding said inhibitor-linked reagent to the exposed sulfhydryl group thereon; and
- (c) inducing a substitution reaction involving said sulfhydryl group and said inhibitor-linked reagent, said reaction resulting in linkage of said base coat to said inhibitor.

16. The method of any of claims 13, 14 or 15, wherein said bifunctional cross-linking reagent is selected from the group consisting of heterobifunctional cross-linking reagents (for example SPDP), homobifunctional cross-linking reagents, and mixtures thereof.

17. The method of claim 13 further comprising the additional step of subjecting said thrombogenesis-linked reagent to a chromatographic procedure to remove impurities therein, said additional step being performed after said contacting step and prior to said binding step.

18. A method of producing a biocompatible, thromboresistant substance, said method comprising the steps of:

(a) immobilizing a thrombogenesis inhibitor to a base coat layer, said inhibitor being hirudin or an active analog or fragment thereof, and having thrombogenesis inhibiting activity when immobilized, and

(b) adhering said base coat layer containing a component capable of binding said thrombogenesis inhibitor; and said base coat layer linked to said thrombogenesis inhibitor to at least one surface of a synthetic, biocompatible material.

Claims for the following Contracting States: ES, GR

1. A method of producing a biocompatible, thromboresistant substance, said method comprising the steps of:

(a) adhering at least one base coat layer to at least one surface of a synthetic, biocompatible material, said base coat layer containing a component capable of binding a thrombogenesis inhibitor; and

(b) immobilizing said thrombogenesis inhibitor to said base coat layer, said inhibitor being hirudin or an active analog or fragment thereof, and having thrombogenesis inhibiting activity when immobilized.

2. The method of claim 1, wherein said adhering step comprises:

(a) activating said material so as to enhance the binding of said base coat layer thereto; and

(b) contacting said activated material with said base coat layer for a time sufficient to allow said component of said base coat layer to bind to said activated material.

3. The method of claim 2, wherein said activating step comprises the steps of:

(a) treating said material with a solution that makes available for binding at least one chemically reactive group in said material; and

(b) contacting said treated material with a solution containing a bifunctional cross-linking reagent for a time sufficient to allow binding of said chemically reactive group to said reagent.

4. The method of claim 3, wherein said treating step further comprises treating said material with a solution that makes available for binding at least one chemically active group in said material, said chemically active group being a carboxylic acid group.

5. The method of claim 1 further comprising the preliminary step of contacting said material with a solution which removes impurities thereon, said preliminary step being performed prior to said adhering step.

6. The method of claim 1, wherein said immobilizing step further comprises the steps of:

(a) contacting said thrombogenesis inhibitor with at least one molecule of a bifunctional cross-linking reagent for a time sufficient to allow linking of said reagent to said thrombogenesis inhibitor, and

(b) binding said thrombogenesis inhibitor-linked reagent to said base coat, said linked thrombogenesis inhibitor having thrombogenesis inhibiting activity.

7. The method of claim 6, wherein said contacting step further comprises contacting said base coat with at least one molecule of said bifunctional cross-linking reagent for a time sufficient to allow linking of said

reagent to said base coat,

and said binding step further includes binding said thrombogenesis inhibitor-linked reagent to said base coat-linked reagent.

8. The method of claim 7 further comprising the steps of:

(a) reducing said base coat-linked reagent to expose a sulfhydryl group thereon;

(b) adding said inhibitor-linked reagent to the exposed sulfhydryl group thereon; and

(c) inducing a substitution reaction involving said sulfhydryl group and said inhibitor-linked reagent, said reaction resulting in linkage of said base coat to said inhibitor.

9. The method of any of claims 6, 7 or 8, wherein said bifunctional cross-linking reagent is selected from the group consisting of heterobifunctional cross-linking reagents (for example SPDP), homobifunctional cross-linking reagents, and mixtures thereof.

10. The method of claim 6 further comprising the additional step of subjecting said thrombogenesis-linked reagent to a chromatographic procedure to remove impurities therein, said additional step being performed after said contacting step and prior to said binding step.

11. A method of producing a biocompatible, thromboresistant substance, said method comprising the steps of:

(a) immobilizing a thrombogenesis inhibitor to a base coat layer.

said inhibitor being hirudin or an active analog or fragment thereof, and having thrombogenesis inhibiting activity when immobilized, and

said base coat layer containing a component capable of binding said thrombogenesis inhibitor; and

(b) adhering said base coat layer linked to said thrombogenesis inhibitor to at least one surface of a synthetic, biocompatible material.

12. The method of any of claims 1 to 11, wherein said material comprises a polymer, for example a polymer selected from the group consisting of polyethylene terephthalate (e.g. Dacron), nylon, polyurethane, cross-linked collagen, polyglycolic acid, polytetrafluoroethylene, and mixtures thereof.

13. The method of any of claims 1 to 12, wherein said base coat layer comprises a component selected from the group consisting of a protein, peptide, lipoprotein, glycoprotein, glycosaminoglycan, hydrogel, synthetic polymer and mixtures thereof.

14. The method of claim 13, wherein said component of said base coat layer comprises a protein; for example a protein selected from the group consisting of serum albumin (e.g. bovine serum albumin and human serum albumin), fibronectin (e.g. bovine fibronectin and human fibronectin), and mixtures thereof.




FIG. 1





FIG. 3



DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl.5)
A	WO-A-7 900 638 (THIN CONDUCTIVE COATING ÖSTERMALM) ---		A 61 L 33/00
A	EP-A-0 081 853 (CORDIS EUROPA N.V.) ---		
A	EP-A-0 260 645 (KNOLL AG) ---		
A	EP-A-0 253 198 (BEHRINGWERKE) -----		
			TECHNICAL FIELDS SEARCHED (Int. Cl.5)
			A 61 L
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 12-12-1989	Examiner ESPINOSA Y CARRETERO M.
<div>CATEGORY OF CITED DOCUMENTS</div> <div><div>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</div><div>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</div></div>			